

H10 kitchen faucet

hybrid faucet with IR-sensor



The intelligent everyday helper

Whether in the gastro or private kitchen, you often have your hands full while cooking. Helpful here is the H10 kitchen mixer. With its non-contact function, professional and amateur chefs make it everyday life easier. The IR sensor not only allows easy operation, it

also ensures hygienic application. The temperature and amount of water can be easily adjusted at the single lever mixer. Thus, the fitting is self-explanatory in its operation and meets high standards of hygiene.



The clever kitchen helper



An innovation in the kitchen

The H10 single lever kitchen mixer offers a variety of ways to make cooking even easier. The convenient "short-off" and "pot fill mode" additional functions that can be activated via the function key make it

easier to clean or fill the sink. The 12- or 24-hour hygiene flush can also be set easily with this button. The high swivel spout allows convenient working under the mixer and the rotatable IR sensor ensures that the mixer is optimally triggered even when a double washbasin is used.

The IR sensor has a close detection that ensures that the water flow does not start immediately when placing a pot. This is triggered only when an object or a hand closer to the sensor to a few inches.




H10 with Battery | chrome
Order number 131.800.11CO

H10 with Mains operation | chrome
Order number 131.810.11CO

H10 with VARIOconnect | chrome
Order number 131.816.11CO





Technical specifications

- Single-lever kitchen tap with touchless controlled IR-sensor
- Tap with temperature mixing
- Modular single-piece design
- Battery box below basin
- Sturdy chromed brass housing
- Adjustable high swivel spout
- Ceramic cartridge (patented)
- Dual infrared sensors with automatic setting feature
- Position of IR-Sensor adjustable
- 12 or 24-hour activatable hygienic rinse
- Power supply: battery, 6V lithium CRP2
(standard: life time up to 4 years – with 150 activations per day)
- Operating pressure: 0.3 – 10 bar
- Flow rate: single-lever mixer: approx.- 11 litres per minute (3 bar)
- Sensor: approx.- 5 litres per minute (1 – 5 bar)
- Flexible hoses: 35 cm
- Filters: 0.5 mm mesh size
- Sensor-sensitivity: automatic self-adapting
- Object detection within near-field range (set off of waterflow)
- Swiss design: Swiss technology, hand assembled
- Solenoid valve of tap manufacture, patented electronic

Technology meets Design

The guiding principle of CONTI+ is to create ecological water saving products, that bring added value through simplicity of use and hygiene. Longterm experience in water saving and water management are consequently implemented in our sanitary solutions.

Modern design, reliability, user friendly, easy installation and maintenance are crucial claims.


CONTI+ is known for driving innovation by applying new and proven technologies to improve overall hygiene, water saving and energy.

Therefore, CONTI+ is a leading brand for electronic sanitary products.

Kontaktinfo:



Froster AS
Sandviksveien 30
5036 Bergen
post@froster.no
Tlf: 55 36 58 55
Web industri: www.froster.no
Web VVS: www.frostervvs.no



*Certificates are product related and not valid in general

Swiss Quality

Aquis Systems AG
Balgacherstrasse 17
CH-9445 Rebstein, Switzerland
phone +41 71 775 9500
fax +41 71 777 1641
info@aquis.ch
www.conti.plus

